

Date: Thursday, 6/21/2007 2:29:33 PM
User: Kim Johnston

Process Sheet

Customer	: CU-DAR001 Dart Helicopters Services	Drawing Name	: FUEL PURGE CANISTER
Job Number	: 33065B		
Estimate Number	: 10442		
P.O. Number	: N/A	Part Number	: D32623
This Issue	: 6/21/2007	S.O. No.	: N/A
Prsht Rev.	: NC	Drawing Number	: D3262 REV C
First Issue	: N/A	Project Number	: N/A
Previous Run	: 32261B	Drawing Revision	: C
		Material	: N/A
Written By	: <u>JJ</u>	Due Date	: 7/15/2007
Checked & Approved By	: <u>07.06.22</u>	Qty:	12 Um: Each
Comment	: Est. C 05.03.10 Removed P/O for liquid penetrant inspection K J/JLM		

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description:
---------	-----------------------	--------------

1.0	M6061T6B0500X06000	6061-T6 Bar .50" x 6.0"
-----	--------------------	-------------------------



Comment: Qty.: 0.9668 f(s)/Unit Total: 11.6021 f(s)
Material: 6061-T6/T651 (QQ-A-200/8 or 225/8) 0.500" thick
(M6061T6B0.500x06.000)
Identify for D3262-3
Batch: 1104326

2.0	BAND SAW	BAND SAW
-----	----------	----------



Comment: BAND SAW
Cut blanks: 6.000" x 0.500" x 5.400" long Bar
Machine as per Folio FA457 and Dwg D3262
Identify for D3262-3
Deburr

07/07/17

12

3.0	HAAS1	HAAS CNC VERTICAL MACHINING #1
-----	-------	--------------------------------



Comment: HAAS CNC VERTICAL MACHINING #1

Machine as per dwg D3262

07/07/23

12

4.0	QC2	INSPECT PARTS AS THEY COME OFF MACHINE
-----	-----	--



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

07/07/23

12

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes ☐ No ☒ DQA: ☒ Date: 01/07/25

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 6/21/2007 2:29:33 PM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: FUEL PURGE CANISTER

Job Number: 33065B

Part Number: D32623

Job Number:



Seq. #:

Machine Or Operation:

Description :

5.0

QC8

SECOND CHECK



Comment: SECOND CHECK

SG 07-07-24 12

6.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: _____

7/7/24 (12x) SP

7.0

QC21

FINAL INSPECTION/W/O RELEASE



(12)

Comment: FINAL INSPECTION/W/O RELEASE

7/20/25

Job Completion



U 07-07-25

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD		Work Order:	3306 SB
Description: Cap		Part Number:	D3262-3
Inspection Dwg: D3262 Rev: C		Page 1 of 1	

FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
0.070 x 45°	+/-0.010	0.063x45°	—			
0.45	+/-0.030	0.456	—			
R0.063	+/-0.010	R0.063	—			
0.090 .080	+/-0.010	0.079	—			
0.33	+/-0.030	0.323	—			
Ø5.005	+0.010/-0.000	Ø5.006	—			
0.688	+0.015/-0.000	0.690	—			
3.25	+/-0.005	3.250	—			
0.875	+/-0.010	0.872	—			
Ø0.516	+0.005/-0.000	Ø0.516	—			
Ø5.165	+/-0.010	Ø5.166	—			
0.083	+0.015/-0.000	0.089	—			
Ø0.580	+0.005/-0.000	Ø0.584	—			

Measured by: <i>[Signature]</i>	Audited by: <i>[Signature]</i>	Prototype Approval:	N/A
Date: 07/07/23	Date: 07/07/23	Date:	N/A


Rev	Date	Change	Revised by	Approved
A	04.09.03	New Issue P/O D3262-041	KJ/JLM	
B	05.04.28	Dimensions and tolerances revised	KJ/JLM	
C	06.09.27	Dimensions revised per rev. C	KJ/JLM <i>[Signature]</i>	<i>[Signature]</i>



DESIGN <i>[Signature]</i>	DRAWN BY <i>[Signature]</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>PH</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3262	REV. C SHEET 1 OF 2
DATE 06.08.31		TITLE FUEL PURGE CANISTER	SCALE 1:4
REV	DATE	DESCRIPTION	
A	04.05.06	FIRST ISSUE	
B	05.02.14	ADD PRESSURE TESTING OPTION	
C	06.08.31	Ø5.165 WAS Ø5.190	

RELEASED

06.09.19 *[Signature]*




D3262-041 CANISTER ASSEMBLY

ITEM	QTY -041	P/N	DESCRIPTION
	X	D3362-041	CANISTER ASSEMBLY
1	1	D3262-1	TUBE
2	2	D3262-3	CAP

NOTES:

- 1) WELD PER DART QSI 004
- 2) BREAK ALL SHARP CORNERS 0.005 TO 0.010
- 3) LIQUID PENETRANT INSPECT PER ASTM E1417 LEVEL 1 OR PRESSURIZE TO 10 psi AND SUBMERGE UNDER WATER TO CHECK FOR LEAKS
- 4) FINISH: CHEMICAL CONVERSION COAT PER QSI 005 4.1 POWDER COAT ASSEMBLY WHITE (4.3.5.1) PER DART QSI 005 4.3
- 5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 6) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 7) IDENTIFY WITH DART P/N AND B/N USING FINE POINT PERMANENT INK MARKER





SHOOT COPY
RETURN TO 2
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 33065B

COPYRIGHT © 2004 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.




DESIGN <i>PH</i>	DRAWN BY <i>B</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>PH</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3262	REV. C SHEET 2 OF 2
DATE 06.08.31	TITLE FUEL PURGE CANISTER		SCALE 1:4




RELEASED
06.09.19

D3262-1 TUBE

- 1) MATERIAL: 6061-T6 OR 6061-T62 TUBING, 5.00 OD x 0.125 WALL
PER VVW-T-700/6 OR AMS 4080 OR AMS 4082 OR
QQ-A-200/8 OR QQ-A-225/8
(REF. DART SPEC. M6061T6T5.000W.125)



SECTION A-A
SCALE 1:2




DRILL THRU $\phi 0.516$
(33/64 DRILL),
TAP HOLE
9/16-18 UNF-3B
PER MIL-S-8879
(2 PLACES)

D3262-3 CAP

- 1) MATERIAL: 6061-T6/T651 (QQ-A-200/8 OR QQ-A-225/8) BAR
(REF. DART SPEC. M6061T6B)

NOTES:

- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 5) BREAK ALL SHARP CORNERS 0.005 TO 0.010
- 6) PART IS SYMMETRICAL ABOUT CENTERLINE
- 7) ENGRAVE 'DART' LOGO AS SHOWN USING 0.75 HIGH x 0.010 DEEP
(MAX) LETTERS WITH TOOL RADIUS OF 0.25 (MIN)



DETAIL B
SCALE 2:1

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
33065B

COPYRIGHT © 2004 BY DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.